



DeVilbiss Automotive Refinishing Recommended Spray Gun Settings for Matrix Systems Undercoats				
Product	Spray Gun	Fluid Tip Size	Air Cap No.	Inlet Pressure Coverage Coat (PSI)
Etch Primer	SRiPro™ HVLP	1.0	HS1	25-29
	SRiPro™ High Efficiency	1.0	TS1	24-29
	PRi® HVLP Primer	1.3, 1.4	101	25-30
	FinishLine® FLG-4 HVLP	1.4	#3	19-23
Low VOC Primers	SRiPro™ HVLP	1.0	HS1	25-29
	SRiPro™ High Efficiency	1.0	TS1	24-29
	PRi® HVLP Primer	1.5-1.8	101	25-30
	FinishLine® FLG-4 HVLP	1.6	#3	23
Primer Surfacer	SRiPro™ HVLP	1.0	HS1	25-29
	SRiPro™ High Efficiency	1.0	TS1	24-29
	PRi® HVLP Primer	1.5-1.8	101	25-30
	FinishLine® FLG-4 HVLP	1.6-2.0	#3	23
Sealer	TEKNA® Copper/QuickClean HVLP	1.3, 1.4	909	22-26
	TEKNA® Copper/QuickClean High Efficiency	1.3, 1.4	7E7	16-22
	TEKNA® ProLite & PRO High Efficiency	1.3, 1.4	TE10/TE20	18-24
	TEKNA® ProLite & PRO HVLP	1.3, 1.4	HV30	16-22
	SRiPro™ HVLP	1.0	HS1	24-29
	SRiPro™ High Efficiency	1.0	TS1	25-29
	PRi® HVLP Primer	1.4-1.6	101	25-30
	FinishLine® FLG-4 HVLP	1.3, 1.4	#3	23

DeVilbiss®, TEKNA®, CVi®, PLUS®, GTi® and PRi® are registered trademarks of DeVilbiss Automotive Refinishing. All other marks are registered trademarks of their respective owners and are not affiliated with DeVilbiss Automotive Refinishing.