

SAFETY DATA SHEET

© Carlisle Fluid Technologies, Inc. PRODUCT RELATED HEALTH DATA SHEET

1. IDENTIFICATION of the SUBSTANCE/MIXTURE and of the COMPANY

1.1 Product identifier

Product Name : Spray Gun Lube

Product Code : Part No. SSL-10 and SSL-13

Product Description : Spray Gun and Paint Mixing Equipment Lube.

SDS # : SDS-5 REVISION #: 3.0.3

CHEMICAL FORMULA: Oil rich in triglyceride ester of fatty acids with min 82% 12-hydroxyoleic acid.

CAS NUMBER : Not Applicable. Article Code : Not Applicable.

GENERAL USE : A clear to greenish tinted solution of proprietary chemicals that is used as a spray gun and

paint mixing equipment lube.

DATE REVISED: 10/03/2018 DATE PREPARED: 06/19/2015

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

Carlisle Fluid Technologies, Inc.

16430 North Scottsdale Road

Scottsdale, AZ 85254

Technical service number 1-888-992-4657 Technical service Europe Tel: +44 (0)1202 571 111

Emergency telephone number

Emergency Number - INFOTRACThe National Chemical Emergency Centre (NCEC)

EMERGENCY PHONE (24 HOURS): Deutsche hotline - 0800 7238996 (Kostenfrei innerhalb Deutschlands)

1-8OO-535-5053 oder +44 (0)1235 753 148

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product definition: Mixture.

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]: Not classified.

Ingredients of unknown: None known.

toxicity

Ingredients of unknown: None known.

ecotoxicity

Classification according to OSHA 29 CFR 1910.1299 and Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to OSHA 29.CFR 1910.1200, Directive 1999/45/EC and its

amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms : No pictogram.
Signal word : Warning.

Hazard statements : H320 - Causes eye irritation.

Precautionarystatements

Prevention: P264 - Wash exposed areas thoroughly after handling

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.





Response : Not applicable.

Storage : P102: Keep out of reach of children.

Disposal: Not applicable.Hazardous ingredients: None known.Supplemental label: Not applicable.

elements

Special packaging requirements

Containers to be fitted : Not applicable.

with child-resistant

fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

Properties affecting health : Wash areas of contact with soap and water.

Principle routes of exposure : Skin, eye.

Skin contact : May cause slight irritation.

Eye contact : May cause irritation, redness, pain, and tearing. **Inhalation** : Not likely to be hazardous by inhalation.

Ingestion : May cause irritation to the mouth, esophagus and stomach.

Chronic Effects: None.

Medical Conditions Aggravated by Long-Term Exposure: None known.

Target Organs: skin and eyes

Signs and Symptoms: May cause irritation to the skin and eyes. If such a reaction occurs, seek medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS Name % Classification (GHS-US) Proprietary 100 Eye Irritant. 2B, H320

Mixture is not a hazardous material and does not contain any hazardous ingredients.

4. FIRST AID MEASURES

4.1 Description of first aid measures

EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Get medical attention if symptoms occur.

INHALATION: When symptoms occur: go into open air and ventilate suspected area.

SKIN CONTACT: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

INGESTION: Rinse mouth. Do NOT induce vomiting. Seek medical attention for treatment and observation.

Protection of first-aiders: No known significant effects or critical hazards.

4.2 Most important symptoms and effects, both acute and delayed

Potentialacutehealtheffects

Eve contact : Eye irritation.

Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal

use.

Skin contact : None under normal conditions.

Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

 ${\bf 4.3}\ Indication\ of\ any\ immediate\ medical\ attention\ and\ special\ treatment\ needed$

Notes to physician : Treat symptomatically.

Specific treatments: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.





5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Alcohol foam, dry chemical, carbon dioxide, water spray, fog.

Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread

fire.

5.2 Special hazards arising from the substance or mixture

Flammability class : Combustible when heated.

Fire retardant method : None required. **Flash Point** : 229°C / 444.2°F. **Autoignition Temperature** : 448°C / 838.4°F.

Sensitivity to Static DischargeHazards from the substance or mixture
Unusual Fire and Explosion Hazards
No information available.
No information available.

Hazardous combustion products : Carbon monoxide (CO), Carbon dioxide (CO2).

Note : None.

5.3 Advice for firefighters

Special precautions for fire-fighters: For structural fires beyond the initial stage, emergency responders in the

immediate hazard area should wear protective clothing. When the potential chemical hazard is unknown, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant

(see Section 8).

Special protective equipment for

fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in

positive pressure mode.

HMIS RATING: See Section 15.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Caution : this product can cause the floor to be very slippery.

For emergency responders : Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and

precautionary measures.

6.2 Environmental precautions

: Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard. Spills into or upon navigable waters, the contiguous zone, or adjoining shorelines that cause a sheen or discoloration on the surface of the water, may require notification of the National Response Center (phone number 800-424-8802).

6.3 Methods and materials for containment and cleaning up

Small spill : Absorb spill with sand or inert absorbent material. Clean with detergent.

Large spill : Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections : Recommended measures are based on the most likely spillage scenarios for this material;

however local conditions and regulations may influence or limit the choice of appropriate

actions to be taken. See Section 13 for information on appropriate disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures : Wear personal protective equipment. Ensure adequate ventilation. Avoid contact with

skin, eyes and clothing. Avoid ingestion and inhalation.

Do not enter confined spaces such as tanks or pits without following proper entry

procedures such as ASTM D-4276 and 29CFR 1910.146.

Advice on general occupational : Handle in accordance with good industrial hygiene and safety procedures. Wash hands





and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

: Store in a cool and secure area.

7.3 Specific end use(s)

Recommendations : Keep containers tightly closed in a dry, cool and well-ventilated place.

Industrial sector specific solutions: None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

8.2 Exposure controls

Appropriate engineering : No specific controls are needed. Normal room ventilation is adequate.

Personal Protection Equipment

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin Protection: Wear chemically resistant protective gloves. The breakthrough time of the selected gloves

must be greater than the intended use period. Wear appropriate clothing to prevent skin

exposure.

Respiratory Protection: Normal room ventilation is adequate.

Other protective : Specific situations may require consultation with industrial hygiene, safety, or engineer-

clothing ing professionals.

Hygienic Practices: Handle in accordance with good industrial hygiene and safety practice. Wash thor-

oughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm). Data represent typical values and are not intended to be specifications.

Physical state : Liquid.

Color : Clear to greenish tint.

Odor : Slight Odor. Appearance : Viscous. pH : Neutral.

Flammability (solid, gas) : NOT a flammable product.

Burning time: No data.Burning rate: No data.Upper/lower flammability or: No data.

explosive limits

Vapor pressure : Negligible.
Vapor Density (air=1) : Not available.
Relative Density : About 0.95 @ 25°C.

Solubility in Water : Insoluble.
Partition coefficient: : No data.

n- octanol/water

Auto-ignition temperature : 448°C / 838.4°F.

Decomposition temperature : No data.

 Viscosity
 : @ 25°C ~ 600-800 CST.

 Specific Gravity (water=1)
 : 0.961 g/cm³ @25°C.

 Pour Point
 : Not available.

Explosive properties : None.

VOC : None.





Oxidizing properties : None.

9.2 Other informationNo additional information.

10. STABILITY AND REACTIVITY

10.1 Reactivity : Stable at ambient temperature and under normal conditions of use.

10.2 Chemical stability : Product is stable.

10.3 Possibility of hazardous : Hazardous polymerization will not occur.

reactions

10.4 Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5 Incompatible materials : Strong oxidizing agents, Acids, Bases.

10.6 Hazardous decomposition : Carbon monoxide (CO), Carbon dioxide (CO2).

products

11. TOXICOLOGICAL INFORMATION

11.1 Acutetoxicity

Effects of Acute Exposure

(LD50 oral and LC50)

Expected LD50 oral-rate > 5000 mg/kg based on data taken from similar product.

11.2 Acute toxicity estimates

Conclusion/Summary : Not expected to be toxic.

11.3 <u>Irritation/Corrosion</u>

Conclusion/Summary : Causes eye irritation.

11.4 Sensitizer

Conclusion/Summary : Not expected to be a sensitizer.

11.5 Mutagenicity

Conclusion/Summary : Not Available.

11.6 Carcinogenicity

Conclusion/Summary: None. IARC - No. NTP - No. OSHA - No. ACGIH - Not Listed. Mexico - Not Listed

11.7 Reproductive toxicity

Conclusion/Summary : Not classified.

11.8 Teratogenicity

Conclusion/Summary : Not classified. 11.9 Specific target organ toxicity (single exposure)

Not classified.

11.10 Specific target organ toxicity (repeated exposure)

Conclusion/Summary : Not classified.

11.11 Aspiration hazard

Conclusion/Summary : Not classified.

11.12 Information on the likely routes of exposure: Eye, ingestion, skin and inhalation.

11.13 Potential acute health effects

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of

ormal use.

Ingestion : If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

Skin contact : None under normal conditions.

Eve contact : Causes eye irritation.

11.4 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Not expected to present a significant inhalation hazard under normal use.

Ingestion : If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

Skin contact : None under normal conditions.

Eye contact : Causes eye irritation.

11.15 Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available. **Potential delayed effects** : Not available.





Long term exposure

Potential immediate effects : Not hazardous.
Potential delayed effects : Causes eye irritation.

11.16 Potential chronic health effects

Effects of Chronic Exposure : Not known.

General : No known significant effects or critical hazards.

Carcinogenicity (IARC, ACGIH): None- NTP, IARC, or OSHA.

Mutagenicity : Not known.

Teratogenicity : Not known.

Developmental effects : Not known.

Fertility effects : Not known.

11.17 Other information : Not available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic

Conclusion/Summary : Acute fish toxicity LCO > 100 mg/L

Bacteria toxicity ECO > 100 mg/L.

12.2 Persistence

Conclusion/Summary : Not determined.

12.3 Bioaccumulation/Accumulation

Conclusion/Summary : Minimum biodegradability is 60% BSB30/CSB Resp. 70% DOC.

12.4 Mobility/Persistence in soil

Conclusion/Summary : Not determined.

12.5 Degradability/Leaching

Conclusion/Summary : Readily biodegradable.

12.6 Environmental Fate

Conclusion/Summary : Not determined.

12.7 Other adverse effects : Avoid release to the environment.

13. DISPOSAL CONSIDERATIONS

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

13.1 Waste treatment methods

Methods of disposal: Dispose of waste material in accordance with all local, regional, national, and international

regulations.

Hazardous waste : Not considered to be a Hazardous Waste as shipped.

13.2 Packaging

Methods of disposal : Container contents should be completely used and containers should be emptied prior to discard.

13.3 Special precautions: None known.

14. TRANSPORT INFORMATION

	US DOT	ADR/RID	IMDG	IATA	CAN TDG
14.1 UN number	Not regulated.				
14.2 UN proper shipping name	None.	None.	None.	None.	None.
14.3 Transport	Not restricted.				
hazard class(s)					
14.4 Packing	None.	None.	None.	None.	None.
group					
14.5 Environmental hazards	No.	No.	No.	No.	No.
14.6 Special precautions	Not available.				
for user					
Additional information	None.				
14.7 Transport in bulk	Not available.				





according to Annex II of MARPOL 73/78 and the IBC Code

15. REGULATORY INFORMATION

15.1 Federal Regulations

Global Inventories: All ingredients are on DSL/NDSL and TSCA inventories.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY

ROAD (ADR): This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

EEC Council: According to EEC Council Directive, this material is not a dangerous substance, but suitable precautions for handling chemicals should be taken

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is not classified as Dangerous Goods by the International Maritime Organization.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is not classified as Dangerous Goods, by rules of IATA.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the Regulations.

WHMIS Classification: exempt

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations of Transport Canada.

NSNR/NPRI: no reportable substances

United States of America: SDS prepared pursuant to the Hazard Communication Standard (29CFR1910.1200).

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

EPA Hazardous Waste Number and Classification (40CFR261.22): none required

Clean Water Act: None of the chemicals in this product are listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

Toxic Substances Control Act (TSCA): Listed on the TSCA inventory.

WGK (Water Danger/Protection): 0

DSL: All components are either on the DSL, or are exempt from DSL listing requirements.

U.S. Export Control Classification Number: None.

EPA SARA Title III/CERCLA

SARA Section 302 Extremely Hazardous Substances: None of the chemicals in this product have a TPQ.

SARA Codes: None.

Section 313: No chemicals are reportable under Section 313.

CERCLA/SARA - Section 313 and 40 CFR 372:

This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

EPA (**CERCLA**) Reportable Quantity (in pounds): None.

15.2 State Regulations

California Proposition 65: This product does not contain a chemical known to the state of California to cause cancer, birth defect or other reproductive harm.

Massachusetts: The following components are listed: None.New Jersey: The following components are listed: None.Pennsylvania: The following components are listed: None.

15.3 HMIS RATING: Health 1, Flammability 1, Reactivity 0 **15.4 NFPA RATING:** Health 1, Flammability 1, Reactivity 0





16. OTHER INFORMATION

16.1 Full text of abbreviated H : H320 - Causes eye irritation.

statements

16.2 Full text of classifications : None.16.3 Full text of abbreviated R : None.

phrases

16.4 Full text of classifications : None.

[DSD/DPD]

16.5 Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling

Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

16.6 SDS PREPARED BY: Director of Chemical Safety

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Carlisle Fluid Technologies, Inc., makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Carlisle Fluid Technologies, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

*** END OF SDS ***

