SAFETY DATA SHEET

© Carlisle Fluid Technologies, Inc. PRODUCT RELATED HEALTH DATA SHEET

1. IDENTIFICATION

1.1 Product identifier

Product Name : DeVilbiss White Booth Wall Coat

Product Code : DeVilbiss Automotive Refinishing Part No. 803668

Product Description : White Peelable Booth Wall Coat SDS # : SDS-171 REVISION #: 1.5

CHEMICAL FORMULA: See Section 3.
CAS NUMBER : See Section 3.
Article Code : Not Applicable.

GENERAL USE : Sprayable, but easily peelable, masking liquid used to protect surfaces from paint

spray, dirt, and other unwanted contaminants.

DATE REVISED: 2/09/2022 DATE PREPARED: 6/19/2015

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

Carlisle Fluid Technologies, Inc.

16430 North Scottsdale Road

Scottsdale, AZ 85254

Technical service number 1-888-992-4657 Technical service Europe Tel: +44 (0)1202 571 111

Emergency telephone number

Emergency Number - INFOTRACThe National Chemical Emergency Centre (NCEC)

EMERGENCY PHONE (24 HOURS): Deutsche hotline - 0800 7238996 (Kostenfrei innerhalb Deutschlands)

1-800-535-5053 oder +44 (0)1235 753 148

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture **Product definition** : Mixture.

Classification according to OSHA 29 CFR 1910.1200

The product is not classified as dangerous according to OSHA 29.CFR 1910.1200.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms : Warning.

Hazard statements : Suspected of causing cancer.

Precautionary statements

Prevention: P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood. P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response : P308: If exposed or concerned

P313: Get medical advice/attention.

Storage : P405: Store locked up.

Disposal: P501: Dispose of contents/container in accordance with local/regional/national/international

regulation (OSHA 1910.107, 40CFR63 parts 260-262, state AQMD and WQMD, local

Waste Management Authority).

Hazardous ingredients : None known.



Supplemental label

elements

: Not applicable.

Special packaging requirements

Containers to be fitted

: Not applicable.

with child-resistant

fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

Properties affecting health: Wash areas of contact with soap and water.

Principle routes of exposure : Ingestion, inhalation, skin absorption, skin contact, eye absorption, and eye contact.

Skin contact: May cause irritation.Eye contact: May cause irritation.Inhalation: Harmful if inhaled.Ingestion: Harmful if ingested.

Chronic Effects : -IARC - Group 2B carcinogen "possibly carcinogen to humans"

-Canada – WHMIS - Class D2A (carcinogenic).

Medical Conditions Aggravated by Long-Term Exposure: If exposed for long periods, may cause dizziness, headache or

nausea.

Target Organs: skin and eyes

Signs and Symptoms: May cause irritation to the skin and eyes. If such a reaction occurs, seek medical attention.

3. COMPOSITION/INFORMATION	FORMATION ON INGREDIENTS			
Chemical Name	CAS#	Concentration (weight/weight)		
Limestone (Calcium Carbonate)	1317-65-3	10%		
Titanium dioxide	13463-67-7	10%		
Water	7732-18-5	70%		
Proprietary non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers)		10%		

4. FIRST AID MEASURES

4.1 Description of first aid measures

EYE CONTACT: If irritation occurs, move away from exposed area and flush eyes with water for 15 minutes. If

irritation continues, seek medical attention.

INHALATION: Move individual to fresh air. If breathing is difficult, administer oxygen and seek medical

attention.

SKIN CONTACT: Remove contaminated clothing. Flush exposed area with water and wash with soap and water. If

irritation occurs, seek medical attention.

INGESTION: Do not induce vomiting. If vomiting does occur, seek medical attention and contact poison control.

Protection of first-aiders: No known significant effects or critical hazards.

4.2 Most important symptoms and effects, both acute and delayed

Potentialacutehealtheffects

Eye contact: May cause irritation.Inhalation: Harmful if inhaled.Skin contact: May cause slight irritation.Ingestion: Harmful if ingested.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : No specific data.



Specific treatments : No specific data.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, carbon dioxide or foam.

Unsuitable extinguishing media

Special Firefighting Procedures: Normal firefighting procedures may be used. Water may be used to cool containers

to prevent pressure build up.

: None known.

5.2 Special hazards arising from the substance or mixture

Flammability class : Not a combustible liquid.

Fire retardant method : None required.
Flash Point : See Section 9.
Autoignition Temperature : See Section 9.
Sensitivity to Static Discharge : None known.
Hazards from the substance or mixture : None known.

Unusual Fire and Explosion Hazards : Material will not ignite or support combustion unless water has evaporated. Dried

solids may burn.

Hazardous combustion products : None known.

Note : None.

5.3 Advice for firefighters

Special precautions for fire-fighters: For structural fires beyond the initial stage, emergency responders in the

immediate hazard area should wear protective clothing. When the potential chemical hazard is unknown, in enclosed or confined spaces, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment

as conditions warrant (see Section 8).

Special protective equipment for

fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in

positive pressure mode.

HMIS RATING: See Section 15.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders : No action shall be taken involving any personal risk or without suitable training.

: Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and

precautionary measures.

6.2 Environmental precautions : Stop spill/release if it can be done safely. Prevent spilled material from entering sewers,

storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard. Spills into or upon navigable waters, the contiguous zone, or adjoining shorelines that cause a sheen or discoloration on the surface of the water, may require notification of the National Response

Center (phone number 800-424-8802).

6.3 Methods and materials for containment and cleaning up

Small spill : Find the source and stop the leak. If spilled, dike areas with sand and absorb with an

absorbent material.

Large spill : Find the source and stop the leak. If spilled, dike areas with sand and absorb with an

absorbent material.

6.4 Reference to other sections : Recommended measures are based on the most likely spillage scenarios for this material;


however local conditions and regulations may influence or limit the choice of appropriate

actions to be taken. See Section 13 for information on appropriate disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling





Protective measures : As with all chemicals take all necessary precautions to avoid prolonged contact.

Advice on general occupational

hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should use good personal hygiene practices,

: Keep container closed and from freezing when not in use. Store in original container

wash hands and face before eating, drinking and smoking.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s) Recommendations

: Keep containers closed and stored in a covered area. Keep away from children.

away from incompatible materials.

Industrial sector specific solutions: None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS #	ACGIH Exposure Limits	OSHA Exposure Limits	Other Exposure Limits
Limestone 1317-65-3	15 mg/m³ TWA (total dust); 5 mg/m³ TWA (respirable fraction)	Not Established	NIOSH: 10 mg/m ³ TWA (total dust); 5 mg/m ³
			TWA (respirable dust)
Titanium dioxide 13463-67-7	I TO IIIg/III T WA (total dust)	15 mg/m ³ TWA (total dust)	Not Established

8.1 Control parameters

Note: Consult an industrial hygienist or similar professional, or your local agencies, for further information.

8.2 Exposure controls

Appropriate engineering

: Facilities that are storing or using these materials should have proper ventilation equipment, and proper eyewash and safety shower facilities. Provide sufficient mechanical ventilation to maintain concentrations below exposure limits.

Personal Protection Equipment

Eye Protection : Chemical splash proof safety goggles in compliance with OSHA regulations. Follow hand

and eye safety procedures.

: Wear chemical resistant gloves, neoprene, plastic coated, etc. **Skin Protection**

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure

limits, a suitable respirator must be worn. Avoid prolonged or repeated breathing of vapors.

Other protective

clothing

: If splashing is possible, wear necessary protective clothing and boots. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.

Hygienic Practices

: Handle according to established hygiene and safety practices. Wash thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm). Data represent typical values and are not intended to be specifications.

Physical state : Liquid. Color : Opaque. : No Data. Odor **Appearance** : No Data. : No Data. рH Melting point/freezing point : No Data.

Initial boiling point and : 100° C - 212° F.

boiling range

: 108° C - 226° F. Flash point

Flammability (solid, gas) : No data. **Burning time** : No data. **Burning** rate : No data. Upper/lower flammability or : 0%.

explosive limits

Vapor pressure : No data. **Evaporation rate** : No data. Vapor Density (air=1) : No data. **Density** : No data.



Solubility in Water : No data. **Partition coefficient:** : No data.

(n- octanol/water)

Auto-ignition temperature : $371^{\circ}\text{C} - 699.8^{\circ}\text{F}$.

Decomposition temperature : No data.

Viscosity : No data.

Specific Gravity (water=1) : 1.122323554

Pour Point : No data.

Explosive properties : No data.

VOC (Ex H₂O & Exempt) lb/gal : 0. 82.

VOC (Inc H₂O & Exempt) lb/gal : 0.29.

Oxidizing properties : No data.

9.2 Other informationNo additional information.

10. STABILITY AND REACTIVITY

10.1 Reactivity : Not chemically reactive.

10.2 Chemical stability : Stable under normal conditions and anticipated conditions of use.

10.3 Possibility of hazardous

reactions

: Not expected.

10.4 Conditions to avoid : Avoid open flames and sparks.

10.5 Incompatible materials : Avoid strong oxidizing agents, strong acids and bases.

10.6 Hazardous decomposition : No Data Available.

products

11. TOXICOLOGICAL INFORMATION

11.1 Acutetoxicity

Effects of Acute Exposure

(LD50 oral and LC50) : No Data.

11.2 Acute toxicity estimates

Conclusion/Summary : No Data.

11.3 <u>Irritation/Corrosion</u>

Conclusion/Summary : Possible irritation.

11.4 Sensitizer

Conclusion/Summary : No Data.

11.5 Mutagenicity

Conclusion/Summary : No Data.

11.6 Carcinogenicity

Conclusion/Summary : IARC - Group 2B carcinogen "possibly carcinogen to humans".

NTP - No. OSHA – No

Canada - WHMIS - Class D2A (carcinogenic).

11.7 Reproductive toxicity

Conclusion/Summary : No Data.

11.8 Teratogenicity

Conclusion/Summary : No Data.

11.9 Specific target organ toxicity (single exposure)

Not expected to cause organ effects from single exposure.

11.10 Specific target organ toxicity (repeated exposure)

Conclusion/Summary : Damage may be caused to blood, central nervous system, eyes, heart, kidneys, liver, skin,

and upper respiratory tract. Titanium dioxide is listed as a Carcinogen category 2.

11.11 Aspiration hazard

Conclusion/Summary : Not expected to be an aspiration hazard. **11.12 Information on the likely routes of exposure** : Eye, skin and inhalation.

11.13 Potential acute health effects

Inhalation: Harmful if inhaled.Ingestion: Harmful if ingested.



Skin contact : May cause skin irritation. **Eye contact** : May cause eye irritation.

11.4 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.Ingestion: No specific data.

Skin contact : Exposure may cause skin irritation. **Eye contact** : Exposure may cause eye irritation.

11.15 Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : No specific data.
Potential delayed effects : No specific data.

Long term exposure

Potential immediate effects : No specific data.

Potential delayed effects : Pre-existing eye, skin, heart and blood disorders may be aggravated by exposure to product.

11.16 Potential chronic health effects

Effects of Chronic Exposure : If exposed for long periods, may cause dizziness, headache or nausea.

General : No specific data. **Carcinogenicity (IARC, ACGIH)** : NTP – None.

IARC - Group 2B carcinogen "possibly carcinogen to humans".

OSHA - None.

Canada – WHMIS - Class D2A (carcinogenic).

Mutagenicity: No specific data.Teratogenicity: No specific data.Developmental effects: No specific data.Fertility effects: No specific data.11.17 Other information: None available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic

Conclusion/Summary : NO DATA AVAILABLE.

12.2 Persistence

Conclusion/Summary : NO DATA AVAILABLE.

12.3 Bioaccumulation/Accumulation

Conclusion/Summary : NO DATA AVAILABLE.

12.4 Mobility/Persistence in soil

Conclusion/Summary : NO DATA AVAILABLE.

12.5 Degradability/Leaching

Conclusion/Summary : NO DATA AVAILABLE.

12.6 Environmental Fate

Conclusion/Summary : NO DATA AVAILABLE.

12.7 Other adverse effects : No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

13.1 Waste treatment methods

Methods of disposal: Dispose of material in accordance with local and governmental agencies. See Sections 7 and 8 for

information on handling, storage and personal protection and Section 9 for physical/chemical properties. It is possible that the material as produced contains constituents which are not required to

be listed in the SDS but could affect the hazardous waste determination.

Hazardous waste: Use of this product which results in chemical or physical change of this material could subject it to

regulation as a hazardous waste. Dispose of as a hazardous material in accordance with local and governmental agencies. Refer to federal, state and local requirements for disposal (OSHA 1910.107, NFPA 33, 40CFR63 parts 260-262, state AQMD and WQMD, local Waste Management Authority).

13.2 Packaging



Methods of disposal: Do not incinerate closed container. Container contents should be completely used and containers should

be emptied prior to discard.

13.3 Special precautions: None known.

14. TRANSPORT INFORMATION

14. IKANSI OKI INTOKWATION							
	US DOT	ADR/RID	IMDG	IATA	CAN TDG		
14.1 UN number	Not regulated.						
14.2 UN proper shipping name	None.	None.	None.	None.	None.		
14.3 Transport hazard class(s)	Not restricted.						
14.4 Packing group	None.	None.	None.	None.	None.		
14.5 Environmental hazards	No.	No.	No.	No.	No.		
14.6 Special precautions for user	Not available.						
Additional information	None.						
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.						

15. REGULATORY INFORMATION

15.1 Federal Regulations

Global Inventories: All ingredients are on DSL/NDSL and TSCA inventories.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not classified by the United Nations Economic Commission for Europe to be dangerous

goods.

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is not classified as Dangerous Goods by the International Maritime Organization.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is not classified as Dangerous Goods, by rules of IATA.

Canada: WHMIS Classification: Titanium dioxide 13463-67-7 is listed as a D2A (carcinogenic).

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations of Transport Canada.

NSNR/NPRI: no reportable substances

United States of America: SDS prepared pursuant to the Hazard Communication Standard (29CFR1910.1200).

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

EPA Hazardous Waste Number and Classification (40CFR261.22): none required

Clean Water Act: Sodium Nitrite (CAS# 7632-00-0) is listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

Toxic Substances Control Act (TSCA): All components are listed on the TSCA inventory.

WGK (Water Danger/Protection): 0

DSL: All components are either on the DSL, or are exempt from DSL listing requirements.

U.S. Export Control Classification Number: EAR99

EPA SARA Title III/CERCLA

SARA Section 302 Extremely Hazardous Substances: None of the chemicals in this product have a TPQ.

SARA Codes: None.

Section 313: No chemicals are reportable under Section 313.

CERCLA/SARA - Section 313 and 40 CFR 372:

This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

EPA (**CERCLA**) Reportable Quantity (in pounds): None.

OSHA Hazard Status: None of the chemicals in this product are considered highly hazardous as defined by the US OSHA Hazard Communication Standard (29CFR1910.1200).

15.2 State Regulations

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer, birth



defects or any other harm. (Titanium dioxide is only listed for airborne, unbound particles of respirable size.)

Massachusetts : Titanium dioxide 13463-67-7 New Jersey : Titanium dioxide 13463-67-7.

Pennsylvania : Not on list.

15.3 HMIS RATING: Health 1, Flammability 0, Reactivity 0 **15.4 NFPA RATING:** Health 1, Flammability 0, Reactivity 0

16. OTHER INFORMATION

16.1 Full text of abbreviated H: None.

statements

16.2 Full text of classifications : None.16.3 Full text of abbreviated R : None.

phrases

16.4 Full text of classifications: None.

[DSD/DPD]

16.5 Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists; AQMD = Air Quality Management District; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada); WQMD = Water Quality Management District

16.6 SDS PREPARED BY: Director of Chemical Safety

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Carlisle Fluid Technologies, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Carlisle Fluid Technologies, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

16.7 DATE SDS REVISED: 2/09/2022 REVISION #: 1.5

*** END OF SDS ***

