

November 2013

DEVILBISS® TIMES



Now AVAILABLE!

New Devilbiss catalogs are out.
Check them out on our website!
[Click here!](#)

MINIMIZE TO

LOW RISK FIX FOR PAINT DEFECTS

Stainless steel masking stencil helps prevent rub-through when sanding or shaving minor surface imperfections.

IDEAL FOR:

- Paint & Clear Coat Runs
- Imperfections
- Minimizing Exposed Area When Sanding Paint-Filled Chips or Scratches

ADVANTAGES

- 304 Stainless Steel Provides Durability For Re-Use
- Chemically Etched Shapes Provide Smooth Edges
- Choice of Four Stencil Shapes



Model: 803654

MAXIMIZE PRODUCTIVITY

Question of the Month

Question:

How much compressed air is stored in a storage tank?

Answer:

It depends on the pressure and the size of the tank. Notice in the example below, the higher the pressure, the smaller the volume of air consumed.

- 1 cu. ft. of free air @ "0" psig
- 1 cu. ft. of free air @ "40" psig is reduced to about 1/4 original volume or about .269 cu. ft.
- 1 cu. ft. of free air @ "70" psig is reduced to about 1/5 original volume or about .174 cu. ft.
- 1 cu. ft. of free air @ "100" psig is reduced to about 1/8 original volume or about .128 cu. ft.
- 1 cu. ft. of free air @ "150" psig is reduced to about 1/11 original volume or about .089 cu. ft.

If you have an 80 gallon (10.7 cu. ft.) tank pressurized to 150 psi, the tank would store about 880 gallons (117.3 cu. ft.) of air. This is typical of a two stage compressor. A single stage 30 gallon (4 cu. ft.) compressor common to the big box stores usually maxes out at about 110 psi and would hold about 300 gallons of free air.

The greater the pressurized capacity, the longer the run time at common operating pressures. Given the same tank capacity, a 150 psi compressor will run less frequently than a 110 psi compressor.

Please note that the process of compressing air does not clean the air. It may in fact cause an increase in air contaminants due to oil in the compressor and intake air and result in costly rework. Use the CamAir or CLEAN Air products by DeVilbiss to help address your filtration needs.

Be sure to check the CFM ratings on your compressor. A compressor that is rated for 7 CFM at 50 psi will not be sufficient to operate a spray gun that consumes 15 CFM. It will have plenty of pressure (for a short duration) but will run out of volume in a short time. The compressor will not be able to supply the volume as fast as the gun consumes it.

good info!



DEVILBISS
AUTOMOTIVE REFINISHING

Start Off Your 2013 School Year Right with DeVilbiss®!

DeVilbiss is committed to the next generation of painters. To prove this we are offering a rebate program to help offset the cost of equipment. DeVilbiss wants future painters starting off with the best quality and latest technology equipment. Schools and instructors in Collision Repair Refinishing Programs can review the purchase programs on the DeVilbiss website. Visit the website or call for more details.

www.autorefinishdevilbiss.com



VO-TECH
Equipment Program for
Schools and Students

NOW AVAILABLE

DAGR® SIPHON FEED AIRBRUSH



- Includes 1/4 fl. oz. metal cup and 1 fl. oz. plastic cup and lid
- Waterborne Compatible



DGR-502S-50
ORDER NO. 803635

Did you know?

You can post questions to our Facebook page



www.facebook.com/devilbissautomotiverefinishing

FROM PAINTER TO PAINTER...

'Best Truck 2013' at the Chicago World of Wheels

- Mike Ross of Glendale Heights, Illinois



PAINT PREP WIPES

Clean paint jobs start with DeVilbiss CLEAN paint prep products

DeVilbiss Clean Paint Prep Wipes are absorbent wipes designed to thoroughly remove grease, dirt, wax, sanding dust, and other contaminants to leave a clean, final prep ready surface.

1/4 Fold Format - Ready To Use

Strong, Absorbent Non-Woven Material

Virtually Lint Free

Wipes require moistening with compatible surface cleaning agent as specified/recommended by your paint company.

WATERBORNE COMPATIBLE

PAINT PREP WIPES ARE SAFE TO USE ON MOST SURFACES INCLUDING:

- Bare metal
- Automotive plastics
- Aluminum
- Automotive OEM finishes
- Fiberglass
- Fully dry automotive finishes



Model#	Order#
DC-101	803657

WIN A FREE STARTINGLINE® 3-Gun Kit!



Tell us what your favorite **DeVilbiss Automotive Refinishing** product is and why.

TO ENTER send an e-mail to socialmedia@devilbissar.com

No purchase necessary. Valid in the United States and Canada only. One winner randomly chosen on December 1, 2013 to win a 802789 StartingLine 3-Gun Kit.

DEVILBISS®

AUTOMOTIVE REFINISHING

The DeVilbiss ProLite Spray Gun & Cam-Air by DeVilbiss Filtration System Is Highlighted In PPG Paint/Repair Instruction Video

In this episode of PPG's Full Coverage, Chris Springer, an application specialist at PPG, gives some tips and tricks on how to achieve a great matte finish. Painters can use the Global Refinish System™ Matte Clearcoat System, mixing D8115 Matte and D8117 Semi-Gloss clearcoats to achieve varying levels of gloss.



Chris B. of El Paso, Texas showing his "Money Maker" custom dipped TEKNA.



Chris says, "this is not just for show, I use it every day".



CHECK OUT THE
NEW

TEKNA® Copper Gravity Feed Basecoat/Clearcoat Spray Gun

A Word From Our General Manager...

Staying in close contact with our customers—when they want to be in touch with us—has always been a primary goal for DeVilbiss. For years, we have scored high with the efforts of our Customer Support Team as they answered phone calls, e-mails and even, for the dinosaurs among us, letters!

Today our customers are working harder than ever and don't always have time to tap out an email, let alone spend ten minutes on the phone waiting for an answer. For those reasons, we encourage our customers to visit us after hours on Facebook, our website or watch our YouTube channel. If our customers are 24/7 people, we have to be a 24/7 partner.

All of our communication channels are designed to provide our customers with the service and information they need, when they need it. And, of course, you can still call or write us.



GOT QUESTIONS? WE HAVE ANSWERS!

Customer Service & Technical Support:
1-800-445-3988
Monday-Friday • 8am to 5:30pm EST
E-mail us at: askus@devilbissar.com

DEVILBISS
AUTOMOTIVE REFINISHING